

LIFE-SAVING PUPPY

FOSTER CARE

GUIDE



DEAR FOSTER FAMILY,

First and foremost, THANK YOU! You are about to embark on a life-saving adventure that you'll never forget and become a hero to your foster animal! Our foster program exists to give young animals a chance to grow and to give injured, sick, or under-socialized animals an opportunity to heal. Since the program's inception, our foster families have saved thousands of dogs and cats that would otherwise have been euthanized without this amazing resource.

In this manual, you will find guidance and helpful tips to ensure success for the duration of your foster animal's stay.

Types of Animals That Need Foster Homes

- Puppies or kittens too young to be adopted
- Abused dogs or cats that need socialization and love
- Injured dogs or cats recovering from surgery
- Sick dogs or cats
- An abandoned mother with a litter of kittens or puppies
- Any animal when the shelter becomes overcrowded

If the requirements included in the following section do not work well with your current schedule, please let us know. We can help you find a foster situation that will work best for you!

Sincerely,

*Souris Valley Animal
Shelter Foster Team*




TABLE OF CONTENTS



Get Ready	
Are You Ready to Foster	3
Preparing the Room	4
Get Set	
Basic Supplies.....	5
Foster Puppy's Home.....	6
Animal Care Guide	
Puppy Development	7
Puppy Expectation and Care	8
Neonate Feeding	
Type of Food	9
Weaning	10
Daily Weight and Feeding Record	11
Fostering Mom	
Bringing Mom Home	12
Mom and Her Puppies.....	13
Basic Training Tips	
Body Language	14
Mouthing	15
House and Crate Training	16
Socialization and Positive Reinforcement.....	17
Socialization Checklist.....	18
Maintaing Foster Health	
Diarrhea, Parasites, Vomiting and Eye Discharge.....	19
Ear Mites, Fleas, Ringworm, and Mange.....	20
Upper Respiratory Tract Infection and Parvovirus.....	21
Distemper and Fading Puppies	22
Veterinary Care	
Scheduling Recheck.....	23
Routine Vet Care	24
Ready for Adoption.....	25
Health Cheat Sheet.....	26
Behavior and Training Information.....	27



ARE YOU A FOSTER CANDIDATE



TIME

Are you able to devote the require time daily and weekly to your foster animal (see chart below)? YES NO

Are you able to bring foster animals to the shelter for vaccinations and wellness exams every 1-2 weeks? YES NO

Are you able to contact CAS or bring foster animals to the emergency care facility quickly in an emergency? YES NO




SPACE

Are you able to separate your foster animals from your household pets for at least two weeks to protect them from illnesses and allow for proper adjustment period? YES NO

Are you able to handle cleaning procedures such as washing hands after every encounter and cleaning / disinfecting the kittens' quarters routinely? YES NO

Are you able to handle any potential home damage (carpet, clothing, and/or furniture) associated with animals? YES NO



CARE

Are you prepared to handle sickness or possible death of your foster animal? YES NO

Are you able to emotionally handle letting go of the foster animal after becoming attached once their foster period is over? YES NO

Are you able to handle the potential of foster animals carrying illness that could affect your household animals / family? YES NO

Time Commitments & Responsibilities

TYPE OF FOSTER	DURATION OF FOSTER	DAILY COMMITMENT
Sick / Injured Cats	1 week-2 months	2-3 hours
Weaned Puppies	1-3 weeks	3-6 hours
Sick / Injured Dogs	1 week-2 months	2-3 hours
Neonate Puppies	6-8 weeks	8 hours
Mom with Puppies	2-8 weeks	3 hours



TIPS & TAILS

Use glass or metal bowls as plastic bowls are porous and not as easy to clean.

Clean linens and toys daily.

Supervise play time.

Preparing the Room

Before you bring home your foster(s), make sure that you have a suitable place for them to stay. A bathroom often works well. The room should adhere to the following guidelines:

- A space where temperature can be controlled.
- The space has been disinfected by using a mild bleach solution (1 part bleach to 32 parts water).
- Separate from other household pets.
- Can withstand messes: spilt water or food, vomit, urine, feces, etc.
- No breakable items.
- Electrical outlets and wires are blocked.
- No small items.
- Secured windows (closed or with a secure screen).
- Secured appliances (toilet lids closed).
- Remove all toys/food from dog's potential reach.



Basic Supplies Provided:

- Food
- Bowls
- Puppy Pads
- Collar and Harness
- Dog Crate

Puppies

- Indoors – kitchen or bathroom. Also can utilize a baby gate or corral.
- Puppies should be around humans for socialization purposes and should not be isolated.
- Puppies should be kept in a crate at all time when not under supervision. Crates are provided.
- Outdoors – only if supervised by an adult. Puppies younger than 5 months should NEVER go to off-leash areas because they are not fully vaccinated.
- Puppies should not be exposed to other dogs or places frequent-ed by other dogs due to the risk of diseases such as parvovirus.

Food


All puppies at SVAS are fed Diamond Brand Puppy food. If your puppy was given something other than that it will be written below.

Your Dog: _____ is currently getting _____ of _____ 3-4x daily.

TIPS & TAILS

Household Poisonous Plants include Lilies, Sago Palms, Corn Plant, Aloe Plant, Xylitol (gum) and Asparagus Fern.

Supervise your foster animal when around children and other animals.



Puppy Development

In the first two weeks of life, puppies are helpless and vulnerable. They are still developing basic reflexes, their hearing and vision is still not fully developed, and they are unable to properly control their body temperatures. They should therefore be confined to a nursery area. Puppies should not be allowed to mingle with your own pets.

During the first 1-3 weeks of life puppies do not urinate or defecate on their own and require stimulation for elimination. Gently rub a warm cloth or cotton pad on the puppy's genital area and anus. This should be done before or after feeding.

Keeping the puppies clean from food and feces is vital for his or her health. If you notice your puppy has food, urine, or feces on him or her gently wipe the puppy down with a warm damp cloth or baby wipe. Be sure to dry the puppy well afterwards so they do not become chilled.

TIPS & TAILS

~~~~~  
**Bathe your foster with Dawn® Dish Detergent Original Formula. Be sure to dry your puppy after their bath using a towel or blow dryer.**  
~~~~~

~~~~~  
**Puppies are chewers! Be sure to remove all electrical cords and small objects.**  
~~~~~





Puppy Expectations & Care by Age

WEEKS	FEEDING	DEVELOPMENT
0-1	Bottle feed ½ tablespoon of formula every 2-3 hours, overnight feeding can be every 3-4 hours. If there is a Mom dog, make sure that all puppies are nursing. Puppies can nurse from Mom for up to 45 minutes at a time. A lot of crying or activity could indicate a problem with Mom's milk supply.	At one week of age, the puppies should be handled minimally. Puppies will sleep about 90% of the time and eat the other 10%. Puppies should be kept in a warm environment as chilling is the number one danger to newborn puppies.
1-2	Bottle feed every 2-3 hours until puppies' bellies are full but not bloated. Overnight feeding can be every 3-4 hours.	Healthy puppies should be round and warm. When you pick up a puppy they should wiggle energetically and healthy puppies seldomly cry. The puppy's ear canal should open between 5 and 8 days. Eyes will open between 8 and 14 days.
2-3	Bottle feed formula every 3-4 hours, until their bellies are full but not bloated.	Puppies begin to crawl around and should be almost standing. They will begin to play with each other, biting ears, tails and paws before their teeth come in. They should be teething at this period.
3-4	Bottle feed formula every 4 hours until the puppies are full but not bloated. Puppies may start to lap from a bowl.	Puppies begin to see well and their eyes begin to look and function like adult dog eyes. Puppies will start cleaning themselves. If they have a mother, she will continue to do most of the serious cleaning. At three weeks, puppies are in their canine socialization period. If they have siblings allow them to play at will.
4-5	Bottle feed as needed to keep puppies from crying with hunger. Puppies usually can drink and eat from a saucer by 4 weeks. Weaning should be done gradually. (See Weaning description in Puppy Care section.)	Begin housebreaking at four weeks of age. This can be done by using training pad or taking the puppy to an outside secure fenced in area of your home. After each feeding, place the puppy on the pad/outside for him or her to go the bathroom. Be patient! He or she may not remember to do this every time.
5-6	Feed gruel 4 times a day. Thicken the gruel gradually by reducing the amount of water mixed with it. Introduce dry food and water. If you are fostering a litter with their mother, continue weaning. For reluctant eaters, try mixing puppy formula into the gruel.	At about 5 weeks, puppies can start to roam around the room, under supervision. The strongest, most curious puppy will figure out how to get out of the nest and the others will quickly follow. Be sure to allow the puppies to have different types of toys around so they may explore and become familiar with a variety of surfaces and textures.
6-7	By this age, puppies should be eating dry food well. Feed the puppies at least three meals a day. Puppies may not eat much at a single sitting, they usually like to eat a frequent intervals throughout the day.	By this time, you will have "mini-dogs". They are able to wash themselves and play games with each other and you. Some puppies may be food possessive, you may need to use a second dish and leave plenty of food out. Do not use adverse or punishing correction techniques. Be sure to take the puppies to their pads or outside after feeding, during play sessions, and after naps. These are the usual time that puppies need to eliminate.
7-8	Offer dry food 3-4 times a day. Leave a bowl of water down for them to drink at will. Do not feed the puppies table scraps.	Continue playing and socializing with the puppies. You can even begin training such as sit, down, roll over and come when called
8+	Offer dry food 3 times a day. Leave down a bowl of water for them to drink at will.	By this time, the puppies should be ready for adoption.



Type of Food

Never give a neonate puppy anything other than their specified formula! (No cow's milk!)

Puppies who are less than three to four weeks old are fed a combination of liquid or powder formula. After a feeding, unused liquid formula can be stored for up to three days in the refrigerator or frozen for future feedings. Frozen formula will last for 6 months.

The powder formula must be mixed for feedings. It is important to closely follow mixing directions: one part power into two parts warm water (as it can cause diarrhea or constipation if not done correctly). When mixing do not use a blender. Any reconstituted powder formula can be refrigerated for up to 24 hours. After that point, it must be discarded.

Feeding Etiquette

- Only use clean nipples and bottles!
- Feed puppies one at a time. Place them on a countertop and allow them to feed with four paws on the counter and with a level head. This simulates how they would nurse from a mom.
- Do not feed a puppy while she is on her back. This can cause formula to go down the wrong way and end up in the lungs.
- Gently open the puppy's mouth with your finger and place the nipple on the tongue.
- Stroking puppy can help them to eat.
- Pull lightly on the bottle. This promotes strong sucking.
- Tilt the bottle up slightly. This prevents the puppy from inhaling too much air.
- Do not squeeze the bottle to force formula into the puppy's mouth. This can cause formula to move into the lungs.
- After feeding, burp your puppy by gently massaging her back.
- Be sure to stimulate the puppy after or before feeding. Stimulate them with a warm cloth if necessary.
- Fill out the Daily Weight and Feeding Record.

TIPS & TAILS

~~~~~

**To warm nursing bottles, fill a coffee mug half way with hot water and place the bottle of formula into mug. After a minute or two, test formula by sprinkling a few drops on the back of your hand. Formula should be warm to the touch, but not hot.**

~~~~~

Weaning

Weaning can occur at 4 to 5 weeks and should be conducted gradually. Create a gruel by mixing moistened dry food with water or canned food. Introduce them to solid food by offering warmed can food, mixed with a small amount of water into gruel, in a shallow dish. Begin by placing puppy to the side of the plate, he or she should start to eat, it may take a few tries for puppies to understand. If they are not interested, wait a few hours and then try again. After they have accepted the gruel, gradually thicken it by adding less water. Begin to also offer dry food on a free feeding basis.

If the mother is present she will usually begin weaning the puppies by discouraging them from nursing. Some nursing activity is the canine equivalent of thumb-sucking, that is, for comfort only. Even if the puppies appear to be nursing, they may not be getting all of the nutrition they need from mom. Make sure the puppies are eating food and gaining weight.

Amount of Food

Overfeeding is as dangerous as underfeeding. Feed puppies until they are full but not bloated.

Cleaning Equipment

Keeping the puppies' nursing bottles and supplies clean is vital as this will prevent diarrhea, vomiting, or infection. Cleaning the bottles and nursing nipples is quite easy. (Check for damaged regularly and replace) Using hot, soapy water clean the bottle with a bottle brush. If you do not have a bottle brush you may wash the bottle and nursing nipple in the dishwasher. You may place them in the silverware rack or in a dishwasher basket. It is important to inspect the nipple for damage after washing - replace as needed.

Additional Feeding Considerations

The digestive systems of puppies are fragile. Do not offer puppies treats. Only feed them the food provided by the Foster Coordinator.

If puppies are fighting over food, start to feed them separately. Contact the Foster Coordinator for support.

Never take food away from a puppy that is growling. Simply remove the other puppies and wait for the food bowl to be unattended.



Example of Neonate Puppy Daily Weight and Feeding Record

NAME/ID	PUPPY 1	PUPPY 2	PUPPY 3	PUPPY 4	PUPPY 5	PUPPY 6
Date						
Weight						
Attitude						
FEEDING 1						
Milk volume						
Stool/urine						
FEEDING 2						
Milk volume						
Stool/urine						
FEEDING 3						
Milk volume						
Stool/urine						
FEEDING 4						
Milk volume						
Stool/urine						
FEEDING 5						
Milk volume						
Stool/urine						
FEEDING 6						
Milk volume						
Stool/urine						

NOTES:



In some cases, moms are fostered together with her litter. There are a few things to keep in mind for this type of foster situation. Moms require a calm setting that has privacy and minimal activity. Stress can cause moms to stop taking care of their puppies.

Bringing Mom Home

You will need a separate space for a mom with her litter. When you first bring them home, leave them alone in their new space. The separate area may be referred to as a whelping box or nesting area. Mom will need some time, up to a few days, to adjust to her new space. Be sure to offer mom fresh food, water and a clean nesting area.

Socialization

Even adult dogs need socialization; however, proceed slowly with any adult dog that you do not know. Create situations for socialization but let her come to you. Stop the session if you notice any negative signs, such as swishing tail, ears laid back, head jerk towards you, tensing up, moving away, or growling. It is always best to move slowly and use caution when reaching into the nesting area.

Mom and Her Puppies

For the first few weeks, mom will do everything necessary to take care of her puppies. Puppies start nursing very soon after birth. Mom will also groom her puppies. It's best to leave the mom alone for the first two weeks except to feed and to go outside for potty breaks.

Possible Issues with Mom Dogs

Maternal neglect – In some cases, about 8% of the time, puppies die from poor maternal care. There are a few causes of this. Some dogs lack maternal instincts and, in other cases, it is nature's way of handling sick or weak puppies. Environmental stress is an important factor, which is why it is important to create a calm environment for mom and the litter. Foster parents should watch for signs of maternal neglect. Call the Foster Coordinator if you notice the mom avoids feeding and grooming her puppies and ignores their cries.

Maternal Aggression – As mom protects her puppies, it is common for her to be aggressive towards humans or other animals. Do not try to introduce your household pets to your foster mom as this adds too much stress to the environment. If aggression becomes severe, call the Foster Coordinator.



DOGGIE LANGUAGE

starring Boogie the Boston Terrier

				
ALERT	SUSPICIOUS	ANXIOUS	THREATENED	ANGRY
				
"PEACE!" look away/head turn	STRESSED yawn	STRESSED nose lick	"PEACE!" sniff ground	"RESPECT!" turn & walk away
				
"NEED SPACE" whale eye	STALKING	STRESSED scratching	STRESS RELEASE shake off	RELAXED soft ears, blinky eyes
				
"RESPECT!" offer his back	FRIENDLY & POLITE curved body	FRIENDLY	"PRETTY PLEASE" round puppy face	"I'M YOUR LOVEBUG" belly-rub pose
				
"HELLO I LOVE YOU!" greeting stretch	"I'M FRIENDLY!" play bow	"READY!" prey bow	"YOU WILL FEED ME"	
				
CURIOUS head tilt	HAPPY (or hot)	OVERJOYED wiggly	"MMMM...."	"I LOVE YOU, DON'T STOP"



Mouthing

- Puppies are born with instincts to bite. One of the most important things they learn, as a puppy, is how to control the strength of their bite.
- Puppies naturally train each other how to bite. When one puppy bites another too hard, the other puppy yelps loudly and stops playing.
- As a foster parent, you can play this role. Any time a puppy mouths with too much force, yelp loudly. If the puppy stops biting, then praise him/her lavishly. If the puppy continues biting, turn your back on the puppy and walk away. After ten seconds or so, resume play happily.
- Remember: Mouthing is important! A puppy who is never allowed to mouth will grow up to have a hard bite.
- Never scold, tap on the nose, or yell no at a puppy who is biting. Bite inhibition is a crucial development for puppies. A puppy who is punished for biting can turn into an adult with unsafe jaws (because they do not know their jaw strength). Simply yell “ouch” when a puppy bites too hard.

Housetraining

We always want to set our puppies up for success, and doing so in the house training process is essential! Puppies should have frequent breaks and be taken outside to the same spot to relieve themselves every 30 – 60 minutes when active (when waking up from a nap, after drinking or eating, and after a play session). A puppy can hold his/her bladder one hour for each month of age (i.e.: 2 months = 2 hours, 3 months = 3 hours).

Remember these five steps to successful house training:

1. Prevent accidents
2. Reward going to the bathroom
3. Anticipate bathroom needs
4. Interrupt accidents and avoid punishing
5. Clean up accidents with enzyme cleaner

Pee Pads: For Puppies Five Weeks and under: place puppies on pee pads immediately after waking up, after eating, and about once an hour. Praise the puppy enthusiastically every time he/she urinates or defecates on the pad. Change the pads frequently, as puppies tend to chew on pee pads.

Crate Training

House training and crate training go hand in hand. A crate can be a great tool to use for your puppy, but it can also be misused. The crate should be big enough for your puppy to stand up, turn around, and stretch out; we will make sure you go home with the correct size, but your puppy may grow. Please let us know if you need a larger crate.

Your foster puppy/dog should have a short term confinement area, such as the crate, and a long term confinement area, such as an x-pen or baby gated section of the house or room.

If you are beginning to crate train, feed your puppy in the crate, provide stuffed chew toys only in the crate, and/or play crate games to build a positive association with the crate. Keep sessions short and fun, and have your puppy in the crate for short periods of time when you are home.

Never use a crate as a form of punishment for your foster puppy or dog.

TIPS & TAILS

After your dog eliminates plan an extra few minutes to play with your puppy. Dogs quickly learn to hold their bladder if they immediately go inside after they relieve themselves.

TIPS & TAILS
Runaway Foster

If your foster escapes or runs away contact the Foster Coordinators immediately. You may also contact animal control for your area.

If your foster dog gets loose while on a walk don't chase, simply lay on the ground and calmly call their name.

Be sure to have your foster's collar and tags on at all times. If you did not receive at pick up, call the Foster Coordinators.

Toys

Having toys available for your puppy is vital for their mental health and development. A selection of toys is best such as plush squeak toys, rope toys, stuffed Kongs, and teething toys.

Socialization

From 3 weeks to 3 months, puppies are biologically primed to learn that new sights, sounds, smells, objects, environments, and people are fun and safe. This is the most crucial and sensitive period in a puppy's life.

Socialization is not simply exposing a puppy to a variety of people, places, and things, but using positive proactive socialization training. Each new person the puppy meets should be a wonderful experience with treats and toys. Take things slow if your puppy seems fearful of the new person, place, or thing.

Training: Positive Reinforcement

As a foster parent, there will be many situations for you to train your animal. Charleston Animal Society only promotes training using positive reinforcement. Decades of research and scientific study concludes that Positive Reinforcement training is the most humane and effective method of training.

Do not scold or punish bad behavior.

- When an unwanted behavior is offered/performed re-direct the puppy with a kissy noise or toy. Praise and reward the puppy for stopping the undesired behavior and giving you attention.
- Punishment can instill fear, which can lead to aggressive behavior.
- Praise and reward good behavior.
- When a behavior is immediately followed by a positive out-come, that behavior is strengthened.

Additional Reference Books:

Perfect Puppy in 7 Days: How to Start Your Puppy Off Right by Dr. Sophia Yin

Puppy Start Right: Foundation Training for the Companion Dog by Dr. Kenneth Martin and Debbie Martin

Socialization Checklist

Socializing your puppy to these items/actions is as easy as touching your puppy's paw and giving a treat, having a man with a hat give a treat as he walks by or saying hello and giving affection.

PEOPLE	
MEN – tall, bearded, variety of ethnicities, younger, older, men with canes/walker, men with hats, etc.	
WOMEN – tall, younger, variety of ethnicities, older, with purses, with walker/canes/crutches, etc.	
CHILDREN – behaviorally appropriate - keep puppies on the ground	
BEHAVIORS	
Laughing, talking loudly, walking, jogging, running, etc.	
ITEMS	
Vacuums (turned off), mops, brooms, bicycles, skate boards, tricycles, lawnmowers (turned off), etc.	
SURFACES	
Grass, concrete, stairs, carpet, tile, hardwood, etc.	
HEALTH & GROOMING	
Nail clippers (not used), feet being touched, ears being touched, tail being touched	



Normal Stool



Soft Stool



Diarrhea

Diarrhea

There are three types of stool: normal, soft and diarrhea. Normal stool is firm and has a definite shape. Soft stool is not firm but still has some shape. Diarrhea is liquid, with or without color to it. Diarrhea is common and can be caused by parasites, viruses, bacteria, food changes, stress, overfeeding and other issues.

Diarrhea must be monitored as it can lead to dehydration. If the foster is active, mild diarrhea that occurs for 24 hours is not a concern. Feed the foster less at a time but more often. If the diarrhea is severe, lasts more than 3-4 feedings or contains blood/parasites, call the Foster Coordinator to schedule a recheck..

Parasites

Fosters are dewormed upon intake. Parasites are commonly found in the stool of puppies and kittens. Tapeworms may look like grains of rice. Roundworms look like spaghetti and can be seen in the litter box or in vomit. If you notice worms, call the Foster Coordinator to schedule a recheck.

Vomiting

Vomiting is not serious unless it happens continuously or accompanied with diarrhea. It can lead to dehydration. If vomiting occurs 2-3 times in a row, call the Foster Coordinator right away.

Eye Discharge

It is normal for animals to have little pieces of crust in their eyes after waking up. If you see continuous yellow or green discharge, swollen or closed eyes call the Foster Coordinator to schedule a recheck. You can use a warm, damp towel to wipe the affected eye(s).

Ear Mites

Ear mites are parasites that live in the ear canal. You may notice a bald spot behind their ears due to continuous scratching. They may also violently shake their head. The ears may smell bad and you may see brown discharge that resembles coffee grounds. Ear mites are contagious to other animals and need to be treated. Call the Foster Coordinator if you notice any these symptoms.

Fleas

Animals that have fleas will scratch themselves often. Topical and oral flea prevention are given to fosters over 4 weeks of age. Flea prevention for puppies under 4 weeks includes daily brushings with the flea comb and daily bedding changes. If you still notice signs of fleas, you can wash the puppy in a small amount of Dawn® dish soap followed by using a flea comb to remove any remaining fleas. Be sure to thoroughly dry him/her following a bath. Baths should not be given more than once every 1-2 weeks. If you still notice signs of fleas, call Foster Coordinator to schedule a recheck.

Ringworm

Ringworm is a contagious fungus that that can spread to other animals and humans. A sign of ringworm is thinning hair or patches of hair loss. Ringworm is difficult to remove from your house. To help with prevention and spreading maintain cleaning protocols and a good hand washing routine. Call the Foster Coordinator if you notice any hair loss.

Mange


Mange is caused by parasites that infect the skin of animals. Some forms of mange are contagious to other animals and humans. The symptoms include itching, hair loss and sores. If you notice these symptoms, call the Foster Coordinator for treatment.



Ear Mites



Ring Worm



Mange

Upper Respiratory Tract Infection (URI)

URIs are common and are caused by contagious viruses and bacteria. Signs to look for:

- Sneezing and discharge from eyes/nose
- Congested breathing
- Loss of appetite
- Lethargy (lack of energy)
- Dehydration

If you notice any of these signs, please contact the Foster Coordinator to schedule a recheck.

Parvovirus

Parvovirus is a deadly and contagious virus that attacks a dog's gastrointestinal tract. Once parvovirus is present in an environment it is difficult to remove. It is transmitted through direct contact with contaminated feces.

Signs to look for:

- Lethargy
- Dehydration
- Loss of appetite
- Abdominal pain and bloating
- Fever
- Low body temperature
- Vomiting
- Severe diarrhea with or without blood

If you notice any of these signs, immediately contact the Foster Coordinator to schedule a recheck.

Distemper

Distemper is a highly contagious and fatal disease that attacks the respiratory, gastrointestinal and nervous systems. It is transmitted through direct contact with contaminated saliva, blood, or urine.

Signs to look for:

- Severe Upper Respiratory Infection or Pneumonia
- Lethargy
- Neurological signs such as seizure activity, convulsions, and partial or complete paralysis.

Fading Puppies

Occasionally, a puppy that appeared healthy will suddenly stop thriving. They will stop growing, socializing and crawling. They will begin to lose weight and may cry continuously. When this happens, they fade quickly and, even with medical intervention, may not survive 48 hours.

There is not an understood cause for this condition. Occasionally, puppies die in foster care. If this should occur contact the Foster Coordinators for information concerning the disposition of remains.



Scheduling Rechecks

Foster animal(s) are required to return to the shelter every two weeks for vaccinations and general exams. To schedule a recheck you will need to book an appointment by emailing Sarah@svaspets.com.

Vaccines

Kittens and puppies receive vaccinations every two weeks from the time they are 4 weeks of age until they are 16 weeks or unless otherwise directed by our veterinarians. Animals 12 weeks and older receive a Rabies vaccine.

Cats & kittens receive FVRCP Vaccine (feline viral rhinotracheitis, calicivirus and panleukopenia)

Dogs & Puppies receive the DA2PP Vaccine (Distemper, Hepatitis, Parvovirus, Parainfluenza, Bordetella, and Aelenovirus Type 2).





TIPS & TAILS

Questions about your foster's veterinary care? Call /Text 701-833-5729

If after hours please email Sarah@SVASpets.com

Routine Veterinary Care

Routine veterinary care is paid for by Souris Valley Animal Shelter. The foster coordinator will work directly with partnering veterinarians to manage the health and well-being of each foster pet or litter. Souris Valley Animal Shelter has a policy that we will not reimburse individuals for vet bills for foster animals when taken for veterinary care outside of that which is pre-authorized by the Souris Valley Animal Shelter staff.

Scheduling Rechecks

Your foster pet(s) will be up-to-date on age appropriate vaccinations and deworming at the time that you take them in. Puppies and kittens must return to the shelter every two weeks while in foster care to be weighed and have vaccines boosted starting at 4 weeks of age. Adult foster pets may or may not need to return to the shelter for vaccines.



SVAS Adoption Process

Potential Adopters

SVAS works off a first come first serve process for potential adopters. All potential adopters will need to apply on our website at <https://svaspets.com/adoption/>

After the application is received the Foster Coordinator will review and then email the application to the Foster Caregiver. The Foster will then contact the first person that applied to set up a meet and greet at their home or at a central location. If a central location is not available then a meeting can be set up via Zoom.

Adoption

The Foster Coordinator or a member of the shelter team will be present at every meet and greet. To schedule a meet and greet the Foster will utilize the shelter calendar at:

<https://app.acuityscheduling.com/schedule.php?owner=19436383&appointmentType=14128039>

If the Foster Coordinator and Foster Caregiver feel that the adopter is a good fit, then the puppy will go home the same day. If the meeting is virtual, then the Foster Coordinator will schedule a time to pick up the puppy and deliver him/her to the adopter.

If the foster caregiver feels that the potential adopter is not a good fit, then they will need to contact the Foster Coordinator before moving on to the next person on the list. In the end the final decision is up to the SVAS staff member.

TIPS & TAILS


Adoption Fees

Puppy - \$195

Dog - \$150

Kitten- \$85

Cat - \$75



NON-EMERGENCIES	EMERGENCIES
<p>Monitor First</p> <p>If worsens: Call Sarah at 701-833-5729</p> <p>Monday-Friday between 9am -5pm</p>	<p>Require Immediate Veterinary Attention</p> <p>Call : 701-833-5729</p> <p>Email: Sarah@svaspets.com</p>
<ul style="list-style-type: none"> • Runny discharge from the eyes or nose • Lack of appetite • Lethargy (lack of energy) • Diarrhea lasting more than 3 or 4 feedings • Vomiting • Weight loss • Coughing and sneezing • Lack of bowl movements for more than 24-36 hours or straining to urinate/defecate • Swollen eyes or eyes held closed 	<ul style="list-style-type: none"> • Continuous diarrhea longer than 24-36 hours • Continuous vomiting longer than 12 hours • Bleeding of any kind (from nose or in urine/ stool) • Any trauma (hit by a car, dropped, limping, unconscious, etc) • Difficult breathing or labored breathing • Dog or cat that is not responsive

Emergency Care

If you have questions about the health of your foster animal or if an emergency situation should arise **during regular hours of operation, please call 701-833-5729**. Our regular hours are Monday through Friday from 9am-6pm. If your foster animal has an emergency that occurs **outside of the normal hours of operation, please use the following information above to determine if it is a true emergency**. If you feel it is a true emergency and it can not wait until businesses hours and no one on staff can be reached then it is up to the Foster's best judgment to take it to an emergency vet appointment. **Souris Valley Animal Shelter must approve any and all treatments for foster pets, however if deemed a true emergency will cover the Emergency Vet bills outside of business hours.**

- If the Souris Valley Animal Shelter has not approved any or all treatments to foster pets, the foster parent will be responsible for ALL costs.
- If the foster parent takes a foster pet to any other veterinary or emergency clinic than the one designated by the Foster Coordinators, the foster parent will be responsible for ALL costs.
- The Souris Valley Animal Shelter has a policy that we will not reimburse individuals for vet bills for foster animals when taken for veterinary care outside of that which is pre-authorized by the Souris Valley Animal Shelter staff.
- If after hours Foster will be reimbursed if deemed a true emergency.

Basic Puppy Care and Socialization

http://www.whole-dog-journal.com/issues/16_12/features/properly-socializing-your-puppy_20878-1.html

Heartworm Disease

<https://www.heartwormsociety.org/pet-owner-resources/heartworm-basics>

Demodectic (Demodex) Mange

<http://www.vcahospitals.com/main/pet-health-information/article/pet-health/mange-demodectic-in-dogs/741>

Dog Body Language: Understand What Dogs Are Saying

<https://youtu.be/OriOwndPzCM>

Common Dog Behavior Issues: Leash Reactivity

<http://careforreactivedogs.com/start-here/>

Common Dog Behavior Issues: Separation Anxiety

https://www.whole-dog-journal.com/issues/11_7/features/Canine-Separation-Anxiety_16044-1.html

Kids and Dogs: How Kids Should and Should Not Interact with Dogs

<http://drsophiayin.com/blog/entry/kids-and-dogs-how-kids-should-and-should-not-interact-with-dogs>

The Safety Guide to Children and Dogs

<https://positively.com/articles/dog-child-safetyguide/>

House Training

http://www.humanesociety.org/animals/dogs/tips/housetraining_puppies.html

Crate Training

http://www.humanesociety.org/animals/dogs/tips/crate_training.html

How to Introduce Dogs to Each Other

<http://bestfriends.org/resources/introducing-dogs-each-other>

How to Introduce a Dog to a Cat

<http://bestfriends.org/resources/how-introduce-dog-cat>